

### เอกสารอ้างอิง: ตังกุย...สมุนไพรรุ่งโลหิต 43(1)

1. กิตติ ต่อจรัส, พิมพ์ลักษณ์ เจริญขวัญ. แนวทางเวชปฏิบัติสำหรับการรักษาภาวะโลหิตจางและธาลัสซีเมีย. สมาคมโลหิตวิทยาแห่งประเทศไทย. 2562.
2. *Angelica sinensis*. Flora of China . *Angelica sinensis* [internet]. 2025 [cited 2025 oct 15]. Available from: [http://www.efloras.org/florataxon.aspx?flora\\_id=2&taxon\\_id=200015389](http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015389).
3. กรมพัฒนาการแพทย์แผนไทยและการแพทย์ทางเลือก กระทรวงสาธารณสุข. คู่มือการใช้สมุนไพรรไทย-จีน. กรุงเทพมหานคร: สำนักงานกิจการโรงพิมพ์องค์การทหารผ่านศึกในพระบรมราชูปถัมภ์; 2551. 208 หน้า.
4. World Health Organization. WHO Monographs on Selected Medicinal Plants. Geneva: World Health Organization; 2002.
5. ชยันต์ พิเชียรสุนทร, วิเชียร จีรวงศ์. คู่มือเภสัชกรรมแผนไทย เล่มที่ 5 คณาเภสัช. กรุงเทพฯ: อมรินทร์; 2547. 351 หน้า.
6. Zhang Y, Guo T, Huang L, He Z, Wang J, Mei H, et al. Protective effect of *Angelica sinensis* polysaccharide on pregnant rats suffering from iron deficiency anemia via regulation of the hepcidin-FPN1 axis. *Int J Biol Macromol*. 2024;256(Pt 2):128016. doi:10.1016/j.ijbiomac.2023.128016.
7. Liu JY, Zhang Y, You RX, Zeng F, Guo D, Wang KP. Polysaccharide isolated from *Angelica sinensis* inhibits hepcidin expression in rats with iron deficiency anemia. *J Med Food*. 2012; 15(10):923-9. doi:10.1089/jmf.2012.2231.
8. Zhang Y, Cheng Y, Wang N, Zhang Q, Wang K. The action of JAK, SMAD and ERK signal pathways on hepcidin suppression by polysaccharides from *Angelica sinensis* in rats with iron deficiency anemia. *Food Funct*. 2014;5(7):1381-8. doi:10.1039/c4fo00006d.
9. Zhang Y, Li MM, Zeng F, Yao C, Wang KP. Study to establish the role of JAK2 and SMAD1/5/8 pathways in the inhibition of hepcidin by polysaccharides from *Angelica sinensis*. *J Ethnopharmacol*. 2012;144(2):433-40. doi:10.1016/j.jep.2012.09.040.
10. Wang KP, Zeng F, Liu JY, Guo D, Zhang Y. Inhibitory effect of polysaccharides isolated from *Angelica sinensis* on hepcidin expression. *J Ethnopharmacol*. 2011;134(3):944-8. doi:10.1016/j.jep.2011.02.015.
11. Wang PP, Zhang Y, Dai LQ, Wang KP. Effect of *Angelica sinensis* polysaccharide-iron complex on iron deficiency anemia in rats. *Chin J Integr Med*. 2007;13(4):297-300. doi:10.1007/s11655-007-0297-0.
12. Wang K, Wu J, Cheng F, Huang X, Zeng F, Zhang Y. Acidic polysaccharide from *Angelica sinensis* reverses anemia of chronic disease involving the suppression of inflammatory hepcidin and NF- $\kappa$ B activation. *Oxid Med Cell Longev*. 2017;2017:7601592. doi:10.1155/2017/7601592.

13. Li MM, Zhang Y, Wu J, Wang KP. Polysaccharide from *Angelica sinensis* suppresses inflammation and reverses anemia in Complete Freund's Adjuvant-induced rats. *Curr Med Sci.* 2020;40(2):265-74. doi:10.1007/s11596-020-2183-3.
14. Jia H, Zheng Z, Qu J, Feng T, Jiang X, Yu H, et al. Study on the synthesis of iron-based nanomedicine assisted by *Angelica sinensis* polysaccharide with enhanced retention performance and its application in anemia treatment. *Int J Biol Macromol.* 2024;280(Pt 3):135969. doi:10.1016/j.jbiomac.2024.135969.
15. Wang K, Wu J, Xu J, Gu S, Li Q, Cao P, et al. Correction of anemia in chronic kidney disease with *Angelica sinensis* polysaccharide via restoring EPO production and improving iron availability. *Front Pharmacol.* 2018;9:803. doi:10.3389/fphar.2018.00803.
16. Chen Z, Cheng L, Zhang J, Cui X. Exploring the mechanism by which *Angelica sinensis* improves haematopoietic function in aplastic anaemia. *Aging (Albany NY).* 2024;16(15):11535-52. doi:10.18632/aging.205971.
17. Liu C, Li J, Meng FY, Liang SX, Deng R, Li CK, et al. Polysaccharides from the root of *Angelica sinensis* promotes hematopoiesis and thrombopoiesis through the PI3K/AKT pathway. *BMC Complement Altern Med.* 2010;10:79. doi:10.1186/1472-6882-10-79.
18. Lee JG, Hsieh WT, Chen SU, Chiang BH. Hematopoietic and myeloprotective activities of an acidic *Angelica sinensis* polysaccharide on human CD34<sup>+</sup> stem cells. *J Ethnopharmacol.* 2012;139(3):739-45. doi:10.1016/j.jep.2011.11.049.
19. Zheng G, Zhang H, Yang Y, Sun YL, Zhang YJ, Chen JP, et al. Systems-based interactome analysis for hematopoiesis effect of *Angelicae sinensis* Radix: regulated network of cell proliferation towards hemopoiesis. *Chin J Integr Med.* 2019;25(12):939-47. doi:10.1007/s11655-018-3003-5.
20. Wang T, Sun HG, Hua YL, Li PL, Wei YM. Urine metabonomic study for blood-replenishing mechanism of *Angelica sinensis* in a blood-deficient mouse model. *Chin J Nat Med.* 2016;14(3):210-9. doi:10.1016/s1875-5364(16)30018-8.
21. Wang B, Jiang H, Sun N, Wang Z, Wang C, Yang T, et al. *Angelica sinensis* polysaccharides ameliorate 5-FU-induced stress anemia via promoting extramedullary erythroblastic island central macrophage-mediated erythroid differentiation. *Int Immunopharmacol.* 2024;142(Pt A):113061. doi:10.1016/j.intimp.2024.113061.
22. Sun N, Wang Z, Jiang H, Wang B, Du K, Huang C, et al. *Angelica sinensis* polysaccharides promote extramedullary stress erythropoiesis via ameliorating splenic glycolysis and EPO/STAT5 signaling-regulated macrophages. *J Mol Histol.* 2024;55(5):661-73. doi:10.1007/s10735-024-10219-z.

23. Kong R, Yuan Y, Liu J, Cheng K, Zhang Y, Zhang X, et al. Therapeutic potential of *Angelica sinensis* derivatized carbon dots in ameliorating chemotherapy-induced anemia. *J Mol Histol*. 2025;56(5):287. doi:10.1007/s10735-025-10518-z.
24. Tian Y, Shen X, Hu T, Liang Z, Ding Y, Dai H, et al. Structural analysis and blood-enriching effects comparison based on biological potency of *Angelica sinensis* polysaccharides. *Front Pharmacol*. 2024;15:1405342. doi:10.3389/fphar.2024.1405342.
25. Chang CW, Chen YM, Hsu YJ, Huang CC, Wu YT, Hsu MC. Protective effects of the roots of *Angelica sinensis* on strenuous exercise-induced sports anemia in rats. *J Ethnopharmacol*. 2016;193:169-78. doi:10.1016/j.jep.2016.08.010.
26. Liu PJ, Hsieh WT, Huang SH, Liao HF, Chiang BH. Hematopoietic effect of water-soluble polysaccharides from *Angelica sinensis* on mice with acute blood loss. *Exp Hematol*. 2010;38(6):437-45. doi:10.1016/j.exphem.2010.03.012.
27. Fung FY, Wong WH, Ang SK, Koh HL, Kun MC, Lee LH, et al. A randomized, double-blind, placebo- controlled study on the anti-haemostatic effects of *Curcuma longa*, *Angelica sinensis* and *Panax ginseng*. *Phytomedicine*. 2017;32:88-96. doi:10.1016/j.phymed.2017.04.004.
28. Lim DW, Kim YT. Anti-osteoporotic effects of *Angelica sinensis* (Oliv.) Diels extract on ovariectomized rats and its oral toxicity in rats. *Nutrients*. 2014;6(10):4362. doi:10.3390/nu6104362.
29. Page RL, Lawrence JD. Potentiation of warfarin by dong quai. *Pharmacotherapy*. 1999;19(7):870-6. doi:10.1592/phco.19.10.870.31558.
30. Dong WG, Liu SP, Zhu HH, Luo HS, Yu JP. Abnormal function of platelets and role of *Angelica sinensis* in patients with ulcerative colitis. *World J Gastroenterol*. 2004;10(4):606-9. doi:10.3748/wjg.v10.i4.606.
31. Shen X, Wu Y, Chen P, Bai Y, Liu Y, Jiang Y, et al. Anti-platelet aggregation activities of different grades of *Angelica sinensis* and their therapeutic mechanisms in rats with blood deficiency: insights from metabolomics and lipidomics analyses. *Front Pharmacol*. 2023;14:1230861. doi:10.3389/fphar.2023.1230861.
32. Zhang L, Du JR, Wang J, Yu DK, Chen YS, He Y, et al. Z-ligustilide extracted from Radix *Angelica sinensis* decreased platelet aggregation induced by ADP *ex vivo* and arterio-venous shunt thrombosis *in vivo* in rats. *Yakugaku Zasshi*. 2009;129(7):855-9. doi:10.1248/yakushi.129.855.
33. Younas F, Aslam B, Muhammad F, Mohsin M, Raza A, Faisal MN, et al. Haematopoietic effects of *Angelica sinensis* root cap polysaccharides against lisinopril-induced anaemia in albino rats. *Pharm Biol*. 2017;55(1):108-13. doi:10.1080/13880209.2016.1230635.