

**เอกสารอ้างอิง : ผลของสาร EGCG จากชาเขียวต่อค่าความดันโลหิต 43(2)**

1. ดาเรศ บันเทิงจิตร. ชาเขียว. วารสารกรมวิทยาศาสตร์บริการ. 2547;52(164):10-4.
2. Capasso L, De Masi L, Sirignano C, Maresca V, Basile A, Nebbioso A, et al. Epigallocatechin gallate (EGCG): pharmacological properties, biological activities and therapeutic potential. *Molecules*. 2025;30(3):654.
3. Bartosikova L, Necas J. Epigallocatechin gallate: a review. *Vet Med*. 2018;63(10):443-67.
4. Arazi H, Samami N, Kheirkhah J, Taati B. The effect of three weeks green tea extract consumption on blood pressure, heart rate responses to a single bout resistance exercise in hypertensive women. *High Blood Press Cardiovasc Prev*. 2014;21(3):213-9.
5. Arazi H, Taati B, Kheirkhah J, Ramezanzpour S. Changes in pain following an interaction period of resistance training and green tea extract consumption in sedentary hypertensive women: impact of blood pressure swings. *J Health Popul Nutr*. 2019;38(1):30.
6. Taati B, Arazi H, Kheirkhah J. Interaction effect of green tea consumption and resistance training on office and ambulatory cardiovascular parameters in women with high-normal/stage 1 hypertension. *J Clin Hypertens (Greenwich)*. 2021;23(5):978-986.
7. Bogdanski P, Suliburska J, Szulinska M, Stepien M, Pupek-Musialik D, Jablecka A. Green tea extract reduces blood pressure, inflammatory biomarkers, and oxidative stress and improves parameters associated with insulin resistance in obese, hypertensive patients. *Nutr Res*. 2012;32(6):421-7.
8. Basu A, Du M, Sanchez K, Leyva MJ, Betts NM, Blevins S, et al. Green tea minimally affects biomarkers of inflammation in obese subjects with metabolic syndrome. *Nutrition*. 2011;27(2):206-13.
9. Basu A, Sanchez K, Leyva MJ, Wu M, Betts NM, Aston CE, Lyons TJ. Green tea supplementation affects body weight, lipids, and lipid peroxidation in obese subjects with metabolic syndrome. *J Am Coll Nutr*. 2010;29(1):31-40.
10. Zeng M, Hodges JK, Pokala A, Khalafi M, Sasaki GY, Pierson J, et al. A green tea extract confection decreases circulating endotoxin and fasting glucose by improving gut barrier function but without affecting systemic inflammation: A double-blind, placebo-controlled randomized trial in healthy adults and adults with metabolic syndrome. *Nutr Res*. 2024;124:94-110.
11. Nagao T, Hase T, Tokimitsu I. A green tea extract high in catechins reduces body fat and cardiovascular risks in humans. *Obesity (Silver Spring)*. 2007;15(6):1473-83.

12. Suliburska J, Bogdanski P, Szulinska M, Stepien M, Pupek-Musialik D, Jablecka A. Effects of green tea supplementation on elements, total antioxidants, lipids, and glucose values in the serum of obese patients. *Biol Trace Elem Res.* 2012;149(3):315-22.
13. Wilasrusmee KT, Sitticharoon C, Keadkraichaiwat I, Maikaew P, Pongwattanapakin K, Chatree S, et al. Epigallocatechin gallate enhances sympathetic heart rate variability and decreases blood pressure in obese subjects: a randomized control trial. *Sci Rep.* 2024; 14(1):21628.
14. Brown AL, Lane J, Coverly J, Stocks J, Jackson S, Stephen A, et al. Effects of dietary supplementation with the green tea polyphenol epigallocatechin-3-gallate on insulin resistance and associated metabolic risk factors: randomized controlled trial. *Br J Nutr.* 2009;101(6):886-94.
15. Brown AL, Lane J, Holyoak C, Nicol B, Mayes AE, Dadd T. Health effects of green tea catechins in overweight and obese men: a randomised controlled cross-over trial. *Br J Nutr.* 2011;106(12):1880-9.
16. Chen IJ, Liu CY, Chiu JP, Hsu CH. Therapeutic effect of high-dose green tea extract on weight reduction: A randomized, double-blind, placebo-controlled clinical trial. *Clin Nutr.* 2016;35(3):592-9.
17. Bajerska J, Mildner-Szkudlarz S, Walkowiak J. Effects of rye bread enriched with green tea extract on weight maintenance and the characteristics of metabolic syndrome following weight loss: a pilot study. *J Med Food.* 2015;18(6):698-705.
18. Diepvens K, Kovacs EM, Nijs IM, Vogels N, Westerterp-Plantenga MS. Effect of green tea on resting energy expenditure and substrate oxidation during weight loss in overweight females. *Br J Nutr.* 2005;94(6):1026-34.
19. Diepvens K, Kovacs EM, Vogels N, Westerterp-Plantenga MS. Metabolic effects of green tea and of phases of weight loss. *Physiol Behav.* 2006;87(1):185-91.
20. Roberts JD, Willmott AGB, Beasley L, Boal M, Davies R, Martin L, et al. The impact of decaffeinated green tea extract on fat oxidation, body composition and cardio-metabolic health in overweight, recreationally active individuals. *Nutrients.* 2021;13(3): 764.
21. Hill AM, Coates AM, Buckley JD, Ross R, Thielecke F, Howe PR. Can EGCG reduce abdominal fat in obese subjects? *J Am Coll Nutr.* 2007;26(4):396S-402S.
22. Matsuyama T, Tanaka Y, Kamimaki I, Nagao T, Tokimitsu I. Catechin safely improved higher levels of fatness, blood pressure, and cholesterol in children. *Obesity (Silver Spring).* 2008;16(6):1338-48.

23. Nantz MP, Rowe CA, Bukowski JF, Percival SS. Standardized capsule of *Camellia sinensis* lowers cardiovascular risk factors in a randomized, double-blind, placebo-controlled study. *Nutrition*. 2009;25(2):147-54.
24. Maeda-Yamamoto M, Nishimura M, Kitaichi N, Nesumi A, Monobe M, Nomura S, et al. A randomized, placebo-controlled study on the safety and efficacy of daily ingestion of green tea (*Camellia sinensis* L.) cv. "Yabukita" and "Sunrouge" on eyestrain and blood pressure in healthy adults. *Nutrients*. 2018 May 6;10(5):569.
25. Frank J, George TW, Lodge JK, Rodriguez-Mateos AM, Spencer JP, Minihane AM, et al. Daily consumption of an aqueous green tea extract supplement does not impair liver function or alter cardiovascular disease risk biomarkers in healthy men. *J Nutr*. 2009; 139(1):58-62.
26. Roberts JD, Roberts MG, Tarpey MD, Weekes JC, Thomas CH. The effect of a decaffeinated green tea extract formula on fat oxidation, body composition and exercise performance. *J Int Soc Sports Nutr*. 2015;12(1):1.
27. Miller RJ, Jackson KG, Dadd T, Mayes AE, Brown AL, Minihane AM. The impact of the catechol-O-methyltransferase genotype on the acute responsiveness of vascular reactivity to a green tea extract. *Br J Nutr*. 2011;105(8):1138-44.
28. Satoh T, Fujisawa H, Nakamura A, Takahashi N, Watanabe K. Inhibitory effects of eight green tea catechins on cytochrome P450 1A2, 2C9, 2D6, and 3A4 activities. *J Pharm Pharm Sci*. 2016;19(2):188-97.
29. Knop J, Misaka S, Singer K, Hoier E, Müller F, Glaeser H, et al. Inhibitory effects of green tea and (-)-epigallocatechin gallate on transport by OATP1B1, OATP1B3, OCT1, OCT2, MATE1, MATE2-K and P-glycoprotein. *PLoS One*. 2015;10(10):e0139370.
30. Misaka S, Abe O, Ono T, Ono Y, Ogata H, Miura I, et al. Effects of single green tea ingestion on pharmacokinetics of nadolol in healthy volunteers. *Br J Clin Pharmacol*. 2020;86(11):2314-2318.
31. Misaka S, Yatabe J, Müller F, Takano K, Kawabe K, Glaeser H, et al. Green tea ingestion greatly reduces plasma concentrations of nadolol in healthy subjects. *Clin Pharmacol Ther*. 2014;95(4):432-8.
32. Misaka S, Ono Y, Uchida A, Ono T, Abe O, Ogata H, et al. Impact of green tea catechin ingestion on the pharmacokinetics of lisinopril in healthy volunteers. *Clin Transl Sci*. 2021;14(2):476-480.
33. Petiwathayakorn T, Hantrakool S, Settakorn K, Hutachok N, Tantiworawit A, Chalortham N, et al. Green tea epigallocatechin 3-gallate reduced platelet aggregation and improved

- anticoagulant proteins in patients with transfusion-dependent  $\beta$ -thalassemia: a randomized placebo-controlled clinical trial. *Foods*. 2024;13(23):3864.
34. Hu J, Webster D, Cao J, Shao A. The safety of green tea and green tea extract consumption in adults - Results of a systematic review. *Regul Toxicol Pharmacol*. 2018; 95:412-433.
  35. EFSA Panel on Food Additives and Nutrient Sources added to Food (ANS); Younes M, Aggett P, Aguilar F, Crebelli R, Dusemund B, Filipič M, et al. Scientific opinion on the safety of green tea catechins. *EFSA J*. 2018;16(4):e05239.
  36. กองอาหาร, คณะกรรมการอาหารและยา. ประกาศสำนักงานคณะกรรมการอาหารและยา: เรื่อง คำแนะนำการใช้ส่วนประกอบสำคัญในผลิตภัณฑ์เสริมอาหาร. [อินเทอร์เน็ต] 2567 [สืบค้นเมื่อ 15 มค. 2569] สืบค้นจาก: <https://food.fda.moph.go.th/food-law/announ-fda-194>